

CERTIFICATE OF ACCREDITATION

SETi Co., Ltd.

Accreditation No. : KT1276

Corporation Registration No. : 135511-0414355

Address of Laboratory : (Branch site) B-612, B-613, 6 Jiphyeonjungang 7-ro, Sejong-si, Republic of Korea

Date of Initial Accreditation : May 29, 2025

Validity of Accreditation : May 29, 2025 ~ May 28, 2029

Scope of Accreditation : Attached Annex

Date of issue : June 02, 2026

This testing laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025:2017. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to Joint ISO-ILAC-IAF Communiqué).



Kim daejin

Head

Korea Laboratory Accreditation Scheme

Korea Laboratory Accreditation Scheme

No. KT1276

01. Mechanical Testing

01.010 Plastics and Related Products

Test method	Materials Products	Standard designation	Test range	Site	Field testing
CEN/TS 16717:2015	Plastic and related products	Surface for sports areas - Method of test for the determination of shock absorption, vertical deformation and energy restitution using the advanced artificial athlete 11.4 Calculation of Shock Absorption and expression of results 11.5 Calculation of Deformation and expression of results 11.6 Calculation of Energy Restitution and expression of results	(0.1 ~ 100.0) % 0.1 mm or more (0.1 ~ 100.0) %	BS	Y
FIFA Quality Programme for Football Turf-Test Manual I-Test Methods:2024	Plastic and related products	Determination of ball rebound (FIFA Test Method 2024-01) Determination of ball roll (FIFA Test Method 2024-02) Determination of shock absorption (FIFA Test Method 2024-03) Determination of peak deformation (FIFA Test Method 2024-04) Determination of energy return (FIFA Test Method 2024-05) Determination of peak torque (FIFA Test Method 2024-06)	(0.00 ~ 2.00) m (0.0 ~ 20.0) m (0.1 ~ 100.0) % 0.1 mm or more (0.1 ~ 100.0) % (3.4~ 60.0) N•m	BS	Y

Korea Laboratory Accreditation Scheme

No. KT1276

Test method	Materials Products	Standard designation	Test range	Site	Field testing
KS F 3888-1:2026	Plastic and related products	Artificial turf systems 6.2 Shock absorption 6.3 Vertical deformation 6.6 Rotational resistance (Method B) 6.8 Ball rebound 6.9 Ball roll (Method A)	(0.1 ~ 100.0) % 0.1 mm or more (4 ~ 60) N•m (0.00 ~ 2.00) m (0.0 ~ 20.0) m	BS	Y

END.